



We have the handle on design and functionality

Novoferm interior doors for work and home



Doors · Garage Doors · Frames · Operators

Just close

Attractive and robust

Doors separate and connect – people and rooms. They offer security and refuge – they create openings. In all walks of life doors offer the opportunity of withdrawing into a peaceful corner. Of holding confidential talks. Of concentrating fully on work. Of playing without interruption. At work, at school, during free time, at home. It is therefore vital that doors really fit; that they become a part of everyday life.

Novoferm has made it its task to develop reliable doors for high-class interiors. Doors that offer the highest level of functionality and quality. And the best possible design. That offer scope to realize one's own personal style. Attractive for years to come.

lasting

robust steel and hardwearing, easy-care surfaces

safe

double-skinned door panels, soundproofed and heat insulated, reliable with tight seals

good-looking

in tasteful colours and decors

the door –



and feel right at home

Novoferm steel interior doors are available in five designs to suit each individual taste, and offer a broad range of decorative colours and wood finishes.

- **Super-Standard** – hot galvanized, guaranteed rust protection, unvarnished
- **Super-Plus** – hot galvanized and primed (powder coating), standard white RAL 9016, ideal for varnishing
- **Super-Color** – also available with high-quality varnish (powder coating) in attractive colours
- **Super-Multi-Color** – also powder coated in three decorative multi-colour compositions
- **Super-Dekor** – with a variety of super-strong charming wood finishes

Novoferm interior doors: for work and home ...

For work or family life – Novoferm interior doors offer the ideal solution for various uses.

All designs are available

- to open to the left or right
- with or without glazing
- with one or two leaves
- prepared for short cover plates or rosettes, if required
- with wrap-around door frame, if required.



... for new buildings and renovations

During the planning phase, architects already focus on installing interior doors offering the proven Novoferm quality.

- with a door unit complete with high-quality stable corner door frame made from hot galvanized steel, ready for installation.

And renovation works offer an ideal opportunity to replace doors that are getting on a bit with Novoferm interior doors once and for all:

- door leaves slot onto hinges – a quick and easy solution
- totally easy to install – door leaf shortened in the lower U-profile region – for uneven floors or new floor coverings.

Totally flexible details

Various available details and exclusive accessories offer enormous freedom of design. Glazing, top-of-the-range handle sets, etc.


Regardless of whether you want to live in pleasant surroundings or work in an atmosphere of intense concentration – Novoferm offers the ideal door for state-of-the-art interior design to meet your highest standards.

The filling for the particularly demanding heat insulation

standard version:


double skinned 40 mm slim, rebated on 3 sides (thick rebate). Galvanized steel sheet.

Close-meshed honeycomb inlay fully glued with steel sheet.



$U_T=1.7W/m^2K$

cutting possible up to 20 mm



$U_T=1.0W/m^2K$

special version:

double skinned 40 mm slim, rebated on 3 sides (thick rebate). Galvanized steel sheet.

Polystyrene inlay for optimal heat insulation, bottom inlay in wood.

Open the

Practical and professional

Treat yourself at work, as well – with practical interior doors in attractive designs. You only need to make one decision – in favour of Novoferm quality – and are free to choose which colour scheme you find motivating, inspiring or soothing.

Our Super-Standard and Super-Plus interior doors are the basic models particularly for use in commercial premises that leave you free to choose your individual colour design. Both doors are built with the characteristic fold and are highly stable and rigid – the benefits of being built of steel. And you will be amazed at how gently and quietly they click shut.

The logo for Novoferm, featuring the brand name in a white, sans-serif font inside a blue oval shape.

novoferm[®]

door to



professional success

Super-Standard interior doors

made of hot galvanized sheets, zinc-coated on both sides. The door panel consists of leaf units (V 0020) and a DPC mortice lock with single tumbler lock insert and key.

The standard version includes the hot galvanized, electrically dip-primed corner door frame with three-sided seal and comes complete with hinge parts (V 8120) and a black round-handle set ready for installation.



Super-Standard

Super-Plus interior doors

are based on the Super-Standard version in terms of both quality and detail. The added extra is to be found in the priming using environment-friendly powder coating in RAL 9016, white, giving you the ideal basis for your own personal varnish. All Super-Plus interior doors are, of course, available as door leaves or as complete door units.



Super-Plus



Also in stainless steel

Functional and representative – interior doors with stainless steel surfaces. Ideal for use by top-of-the-range restaurants and in high-class commercial kitchens.



The elegant door leaf is supplied with a rustproof, brushed stainless steel surface. The optional round window (Ø 300 mm) made of 6 mm thick transparent glass comes complete with a brushed stainless steel frame. The new Novoferm interior door can also represent an additional design highlight for the kitchen of the design-oriented home. The porthole not only ensures additional light but also impressive views into the interior.

Colourful

**Wide range of colours
and decors**

Game, set and match Novoferm

Add colour to your hobby room, party basement or fitness studio, for example, as well as to your sophisticated living areas with Novoferm interior doors. Or create an atmosphere of homeliness with high-quality wood finishes. Stability and safety are included as a matter of course.

Super-Color interior doors

with high-quality varnish (powder coating) in the fresh and cheerful colours: Green similar to RAL 6003, Grey-green similar to RAL 7034, Platinum white similar to RAL 9010, Red similar to RAL 3002 and Sepia brown similar to RAL 8014.




family surroundings

hardwearing surfaces

Super-Multi-Color interior doors

ideally suited for exclusive marble or granite floors – available in the top-of-the-range colour compositions Granite and Terrazzo.



Granite



Terrazzo



Super-Multi-Color,
Granite design

Super-Dekor interior doors

create an air of homeliness in particularly hardwearing and natural-looking wood finishes – from modern to country-style: Maple, Pear, Cherry, Light oak, Natural beech, White ash, Classic oak.



Maple



Pear



Cherry



Super-Plus,
similar to RAL 9016



Light oak



Natural beech



White ash



Classic oak

Choose your Novoferm interior door to suit your taste and purpose. Your choice is a product that meets the highest standards of quality. Extremely robust, durable, safe and good-looking. In the surface of your choice. Regardless of whether you choose Super-Color, Super-Multi-Color or Super-Dekor – Novoferm interior doors can stand up to a lot – even if the game might get a little out of hand at times. All surfaces are extremely hardwearing and at the same time really easy to look after. A welcome addition for any house or apartment!



Integrated glazing for more light

„More light!“

an important point when it comes to choosing and planning interior doors. Novoferm offers a range of four different square glazing variations together with an attractive round window against extra charge.



Super-Color
with glazing type 1



Super-Color
with glazing type 2



RAL of choice (against
extra charge), here
Gentian blue similar to
RAL 5010 with glazing
type 3



Stainless steel
with round glazing



Natural beech
with glazing 4

The range of possibilities for each type of door (Super-Standard, Super-Plus, Super-Color, etc.) together with the sizes and details are available from the chart on page 10.

Double-leaf doors – available as door units ready for installation – consist of an active leaf with STL/DPC lock, an inactive leaf with aluminium rebate profile and concealed espagnolette, rounded handle set, full set

of hinge parts (V 8120) and corner door frame with three-sided seal.

Glazing can be inserted into both the active and inactive leaf, if required.



A range to suit each taste – from handle to automatic closer





Best-looking handlesets ...

The door handle is the most obvious point of contact of any door. The handles of Novoferm's interior doors are all pleasing to grip, and each door is easy to open and close.

In addition to the standard black rounded handle sets you can choose a variety of rounded handle, knob lever and WC handle sets from the wide range of accessories. Available in the colours red, brown, olive green and white. Special colours are available upon request. You will also find a selection of light metal and stainless steel handle and knob lever sets in our range of accessories.

... and numerous added extras


Exclusive accessories raise the value of your door even further. You can determine the fittings to suit your personal requirements and combine the accessories with each other. Your specialist retailer can give you more information on the entire current range of special fittings and will be happy to advise you.

 <p>Standard handle set, DPC/STL</p>	 <p>Knob lever set, DPC, light metal</p>
 <p>WC handle set, white</p>	 <p>Handle set, DPC, light metal</p>
 <p>Knob lever set, DPC, red</p>	 <p>Handle set, rosette, STL, brown</p>
 <p>Profile cylinder</p>	 <p>WC handle set, rosette, black</p>
 <p>Letterbox</p>	 <p>Air vent</p>
 <p>Standard handle set profile cylinder (key provided by the customer)</p>	 <p>Standard handle set with SLT-clip DPC-single tumbler lock and key</p>




Dimensions and installation data

Special details glazing fixtures



Glazing




Glass dimensions and glazing

	Co-ordinating size width x height mm	Glazing 1 width x height mm	Glazing 2 width x height mm	Glazing 3 width x height mm	Glazing 4 width x height mm
1-leaf standard size	750 x 1875	395 x 385	395 x 985	395 x 1235	3 x 395 x 385
	875 x 1875	520 x 385	520 x 985	520 x 1235	3 x 520 x 385
	1000 x 1875	645 x 385	645 x 985	645 x 1235	3 x 645 x 385
	625 x 2000	270 x 385	270 x 985	270 x 1360	3 x 270 x 385
	750 x 2000	395 x 385	395 x 985	395 x 1360	3 x 395 x 385
	875 x 2000	520 x 385	520 x 985	520 x 1360	3 x 520 x 385
	1000 x 2000	645 x 385	645 x 985	645 x 1360	3 x 645 x 385
	750 x 2125	395 x 385	395 x 985	395 x 1485	3 x 395 x 385
	875 x 2125	520 x 385	520 x 985	520 x 1485	3 x 520 x 385
1000 x 2125	645 x 385	645 x 985	645 x 1485	3 x 645 x 385	
2-leaf standard size	1500 x 2000*	520 x 385	520 x 985	520 x 1360	3 x 520 x 385
	1750 x 2000	520 x 385	520 x 985	520 x 1360	3 x 520 x 385
	2000 x 2000	645 x 385	645 x 985	645 x 1360	3 x 645 x 385
	2000 x 2125	645 x 385	645 x 985	645 x 1485	3 x 645 x 385

*Glazing only in the active leaf. For doors with wooden glazing fixtures deduct 5 mm each from the width and height of the above-mentioned dimensions. Max. glass thickness 6 mm.

Ideal dimensions for each interior door

Technology for interior doors



Standard sizes

	Co-ordinating sizes (ordering sizes) DIN 18100 width x height/mm	Structural reveal size DIN 18100 width x height/mm	Clear opening dimensions DIN 18111 width x height/mm	Door leaf width DIN 18101 width x height/mm	Frame width width x height/mm*
1-leaf	750 x 1875	760 x 1880	686 x 1843	735 x 1860	776 x 1918
	875 x 1875	885 x 1880	811 x 1843	860 x 1860	901 x 1918
	1000 x 1875	1010 x 1880	936 x 1843	985 x 1860	1026 x 1918
	625 x 2000	635 x 2005	561 x 1968	610 x 1985	651 x 2043
	750 x 2000	760 x 2005	686 x 1968	735 x 1985	776 x 2043
	875 x 2000	885 x 2005	811 x 1968	860 x 1985	901 x 2043
	1000 x 2000	1010 x 2005	936 x 1968	985 x 1985	1026 x 2043
	750 x 2125	760 x 2130	686 x 2093	735 x 2110	776 x 2168
	875 x 2125	885 x 2130	811 x 2093	860 x 2110	901 x 2168
1000 x 2125	1010 x 2130	936 x 2093	985 x 2110	1026 x 2168	
Super-Standard, Super-Plus, Super-Color: Special sizes available up to 1250 x 2250. Super-Multi-Color: Special sizes available up to 1125 x 2250 mm. Super-Dekor: Special sizes available up to 1000 x 2125. * including 30 mm floor recess					
2-leaf	1500 x 2000**	1510 x 2005	1436 x 1968	1485 x 1985	1526 x 2043
	1750 x 2000***	1760 x 2005	1686 x 1968	1735 x 1985	1776 x 2043
	2000 x 2000***	2010 x 2005	1936 x 1968	1985 x 1985	2026 x 2043
	2000 x 2125***	2010 x 2130	1936 x 2093	1985 x 2110	2026 x 2168
** Active leaf co-ordinating size 875 mm, *** split in the middle, Super-Standard, Super-Plus, Super-Color, Super-Multi-Color: Special sizes available up to 2500 x 2250. Super-Dekor: special sizes available up to 2000 x 2125. * including 30 mm floor recess					

Quality is our strength

Novoferm is one of the largest European system suppliers of doors, garage doors, frames and operators for uses in the private, trade and industrial sectors. We manufacture in Europe and Asia and market our products in many countries of the world. There is surely a Novoferm dealer near you too.



Our products take into account the customary requirements of the various countries and meet national standards and test regulations. Of course, we are certified to ISO 9001 and manufacture using the latest techniques whilst being considerate to the environment. As a partner of Interseroh AG we actively participate in the recycling process for packaging materials.



Our company policy is based on a simple principle: quality not quantity. It is our endeavour to offer our customers products that fulfil a maximum of quality, safety, comfort and aesthetics – at a minimum cost.

Novoferm GmbH

Isselburger Straße 31, D-46459 Rees-Haldern

Tel: +49 (0) 28 50/9 10-0, Fax: +49 (0) 28 50/9 10-650

<http://www.novoferm.com>

E-Mail: sales@novoferm.com

Novoferm sales partners:

